

Australia • New Zealand • Singapore

Panda Babinda 100% Acrylic Double Breasted Jacket



Yarn required to create Jacket: Panda Babinda Yarn — 6 12 18 5 6 7

intermediate

Double Breasted Jacket (intermediate)

MEASUREMENTS - Months 6 (12-18)

Fits underarm 45 (**50**-55) cms/18 (**20**-22) ins **To measure** (approx) 50 (**56**-60) cms/20 (**22**-24) ins **Length** (approx) 31 (**35**-37) cms/12 (**14**-15) ins **Sleeve length** 16 (**19**-21) cms/6 (**7½**-8) ins

PANDA BABINDA YARN

5 (6-7) x 50g balls

NEEDLES

A pair each 6.00mm (US 10), (UK 4) and 5.50mm (US 9), (UK 5) Knitting Needles or size that gives correct tension/gauge.

MATERIALS

A Yarn Needle; 4 Buttons; Crochet Hook for Cord; Pom Pon Maker.

TENSION/GAUGE

14 sts and 21 rows to 10 cms/4 ins over stocking st, using 5.50mm (US 9), (UK 5) Knitting Needles. Note - Correct tension/gauge is essential for a successful handknit. This garment has been worked on smaller needles than normally recommended.

ABBREVIATIONS

St/s - stitch/es, K - Knit, P - Purl, RS - right side, WS - wrong side, stocking st -1 row K, 1 row P, beg - begin/ning, patt - pattern, rep - repeat, incl - inclusive, dec - decrease, yfwd - yarn forward to make a st, K2tog - knit 2 sts together, foll - follow/ing, alt - alternate, rem - remain/ing, tog - together, inc - increase, cont - continue, sl - slip, psso - pass slipped st over.

CREATE

Back

Using 6.00mm (US 10), (UK 4) Needles, cast on 38 (**42**-46) sts.

Beg border patt - 1st row (RS) - * K1, P1, rep from * to end.

2nd row - * K3, P1, rep from * to last 2 sts, K2.

3rd row - P2, * K1, P3, rep from * to end.

4th row - As 1st row.

5th row - * K1, P3, rep from * to last 2 sts, K1, P1.

6th row - K1, P1, * K3, P1, rep from * to end.

Rows 1 to 6 incl form border patt.

Change to 5.50mm (US 9), (UK 5) Needles.

Work in stocking st until work measures 16 (19-20) cms/6 (7-8) ins from beg, ending with a purl row.

Eyelet row - K2, * yfwd, K2tog, rep from * to last 2 sts, K2.

Next row - Purl.

Beg patt - Work 6 rows border patt (as before).

Shape armholes - Keeping patt correct, cast/bind off 2 sts at beg of next 2 rows = 34 (**38**-42) sts. Dec one st at each end of next row and foll alt row = 30 (**34**-38) sts.

Cont in patt without shaping until **armhole** measures 12 (**13**-14) cms/5 (**5**-5½) ins, working last row on WS

Shape shoulders - Cast/bind off 4 **(5-5)** sts at beg of next 2 rows, then 4 **(4-5)** sts at beg of foll 2 rows. Cast/bind off rem 14 **(16-18)** sts.

Right Front

Using 6.00mm (US 10), (UK 4) Needles, cast on 26 (**30**-34) sts.

Beg border patt - Work 6 rows border patt as for Back.

Change to 5.50mm (US 9), (UK 5) Needles. **

Next row - K1, P1, knit to end.

Next row - Purl to last 2 sts, K1, P1.

Rep last 2 rows until work measures same as Back to eyelet row, working last row on WS.

Eyelet row - K1, P1, K1, * yfwd, K2tog, rep from * to last st. K1.

Next row - Purl to last 2 sts, K1, P1.

Beg patt - Work 7 rows border patt as for Back.

Shape armhole - Keeping patt correct, cast/bind off 2 sts at beg of next row = 24 (**28**-32) sts.

Next row - Patt 3, yfwd to make a st, patt 2tog (buttonhole), patt 5 (**7**-11), yfwd to make a st, patt 2tog (buttonhole), patt to last 2 sts, K2tog.

Next row - Patt to end.

Next row - Patt to last 2 sts, K2tog = 22 (**26**-30) sts. Work 7 (**7**-9) rows patt.

Next row - Patt 3, yfwd to make a st, patt 2tog (buttonhole), patt 5 (**7**-11), yfwd to make a st, patt 2tog (buttonhole), patt to end = 4 buttonholes in total.

Work 3 rows patt.

Shape neck - Next row (RS) - Cast/bind off 14 (**17**-20) sts, patt to end = 8 (**9**-10) sts.

Cont in patt until **armhole** measures same as Back to beg of shoulder shaping, ending with same patt row on WS.

Work 1 row patt.

Shape shoulder - Cast/bind off 4 (**5**-5) sts at beg of next row. Work 1 row.

Cast/bind off rem 4 (4-5) sts.

Left Front

Work as for Right Front to **.

Next row - Knit to last 2 sts, P1, K1.

Next row - P1, K1, purl to end.

Next row - Knit to last 2 sts, P1, K1.

Rep last 2 rows until work measures same as Back to eyelet row, working last row on WS.

Eyelet row - K1, * K2tog, yfwd, rep from * to last 3 sts. K1, P1, K1.

Next row - P1, K1, P1, purl to end.

Bea patt - Work 6 rows border patt as for Back.

Shape armhole - Keeping patt correct, cast/bind off 2 sts at beg of next row = 24 (**28**-32) sts.

Dec one st at armhole edge in every foll alt row twice = 22 (26-30) sts.

Work 12 (12-14) rows patt.

Shape neck - **Next row** (WS) - Cast/bind off 14 (17-20) sts, patt to end = 8 (9-10) sts.

Cont in patt until **armhole** measures same as Back to beg of shoulder shaping, ending with same patt row on WS.

Shape shoulder - Complete as for Right Front.

Sleeve (make 2)

Using 5.50mm (US 9), (UK 5) Needles, cast on 22 (**22**-26) sts.

Beg border patt - Work 6 rows border patt as for Back.

Work in stocking st for rem, inc one st at each end of next row, then in every foll 8th (8th-12th) row until there are 28 (30-32) sts.

Cont without shaping until work measures 16 (19-21) cms/6 (71/2-8) ins from beg, ending with a purl row.

Shape top - Cast/bind off 2 sts at beg of next 2 rows = 24 (**26**-28) sts.

Dec one st at each end of next row, then in every foll alt row until 8 sts rem.

Cast/bind off loosely.

Collar

Using 5.50mm (US 9), (UK 5) Needles, cast on 46 (**50**-54) sts.

Beg border patt - Work 12 rows border patt as for Rack

Next row - K1, P1, * sl 1, K2tog, psso, P1, rep from * to end = 24 (**26**-28) sts.

Next row - * K1, P1, rep from * to end.

Keeping rib correct, cast/bind off 2 sts at beg of next 4 rows.

Cast/bind off rem 16 (18-20) sts loosely in rib.

FINISHING

DO NOT PRESS. Using yarn needle, darn in ends. Using yarn needle and mattress st seam, join shoulder, side and sleeve seams. Sew in sleeves. Using a flat seam, sew collar in position to neck edge, beg and ending half way along side edge of neck. Sew on buttons to correspond with buttonholes and fasten. Using a crochet hook, make a length of chain approx 75 (82-90) cms/30 (33-36) ins long. Thread chain cord through eyelet holes, beg at right front edge and ending where right front overlaps. Make 2 large pom pons and attach securely to each end of chain cord.



Level 7 409 St Kilda Road MELBOURNE VICTORIA 3004 A.B.N 85 055 366 590

T +61 3 9380 3888 F +61 3 9820 0989 www.pandayarns.com.au This publication is protected by copyright. Reproduction in any form (including photocopying) without prior permission from Australian Country Spinners will lead to proceedings being brought to restrain any infringement. We have made every effort to ensure that these instructions are accurate and complete. We cannot however be responsible for variations in individual work, human error, typographical mistakes or if yarn other than the recommended Panda yarn is used.



For Australian residents -If you need help with your pattern, please phone 03 9380 3888 or Toll Free 1800 337 032 (9am to 4pm Mon - Fri E.S.T.)